


FEZ



WOW



unexpected surfaces

FEZ

| | |
|---|----------------|
| 01. INTRO | <i>pag. 3</i> |
| 02. SIZES, COLOURS AND FINISHES / FORMATOS, COLORES Y ACABADOS | <i>pag. 4</i> |
| 03. RECOMMENDATIONS / RECOMENDACIONES | <i>pag. 34</i> |
| 04. TECHNICAL FEATURES / CARACTERÍSTICAS TÉCNICAS | <i>pag. 35</i> |
| 05. TECHNICAL DRAWINGS / DIBUJOS TÉCNICOS | <i>pag. 36</i> |
| 06. PACKING | <i>pag. 37</i> |
| 07. PRICE CODE / CÓDIGO DE TARIFA | <i>pag. 38</i> |

Curtsey to the Imperial Moroccan city of **Fez** and its worldwide famous craft skills, considered as an alive cultural treasure.

Designed with a traditional approach, that combines beauty and practicality, they are suitable for any neat environment.

How to choose between the range of suggestive colours? glossy translucent finishes, soft mats, metallics in steel and copper sized 6.2x12,5cm (2.5"x5")
Twenty delightful alternatives full of life.

New contours into a perfect balance.


-

*Inspirada en **Fez** y su famosa artesanía, esta ciudad imperial marroquí está considerada un tesoro cultural vivo.*


Diseñada con un enfoque tradicional, que combina belleza y practicidad, esta colección es adecuada para cualquier espacio de tu hogar.

*¿Cómo decidirse ante una gama de colores tan sugerentes? Acabados brillantes y ligeramente translúcidos, sedosos mates, metálicos en acero y cobre... Todo ello en formato 6.2x12,5cm (2.5"x5")
Veinte deliciosas alternativas llenas de vida.*

FEZ*
2.5"x5" / 6,2x12,5 cm
W21



FEZ STEEL & COPPER
2.5"x5" / 6,2x12,5 cm
W36



ROUNDED EDGE FEZ
0.43"x5" / 1,1x12,5 cm
WS3



Available in all colours.
Disponible en todos los colores.

*Different colour shades randomly mixed within the box.
*Diferentes tonalidades encajadas aleatoriamente.



Mint Gloss



Fez Emerald Matt

Floor tiles:
Concrete Crayon Light Grey
by Love Affairs Collection



Fez Emerald Gloss

Floor tiles:
Cottage Grey by Cottage Collection



Fez Aqua Matt

Floor tiles:
Hexa Cottage White by Cottage Collection





Fez Ocean Gloss

Floor tiles
Cottage White by Cottage Collection



Fez Ocean Matt

Floor tiles
Hexa Cottage Grey by Cottage Collection





Mustard Gloss



White Gloss & Matt





Fez White Matt

Floor tiles:
Hexa Cottage Cotto by Cottage Collection



Warm Gloss



Warm Matt



Fez Grey Gloss

Floor tiles

Hexa Cottage Graphite by Cottage Collection



Grey Gloss & Matt




Fez Grey Gloss
Rounded Edge Fez Grey Gloss



Graphite Gloss



Fez Graphite Matt
Floor tiles
Hexa Cottage White & Grey
by Cottage Collection



Steel Gloss



Fez Steel Gloss

Floor tiles: **Calacatta Strip**
by Love Affairs Collection



Fez Copper Gloss

Floor tiles: **Aura Strip**
by Love Affairs Collection



Copper Gloss

ALMACENAMIENTO

Para garantizar las características de su acabado, el producto debe mantenerse en su embalaje original hasta el momento de la colocación. Si el producto va a permanecer almacenado durante un largo periodo es conveniente hacerlo bajo cubierta.

COLOCACIÓN

Para garantizar una buena adhesión al soporte es necesaria la utilización de materiales de agarre y de rejuntado adecuados al ambiente al que vayan a estar sometidos. La colocación con morteros tradicionales no garantiza una buena adhesión.

Debido a la naturaleza del material pueden existir diferencias dimensionales entre piezas. Por ello deberán planificarse y ejecutarse correctamente todo tipo de juntas: estructurales, perimetrales, de dilatación y de colocación. La colocación sin juntas es desaconsejable desde cualquier punto de vista técnico, pudiendo ser el origen de diversas patologías. Para un resultado óptimo, recomendamos usar 1 mm de junta.

MANTENIMIENTO Y LIMPIEZA

Finalizada la puesta en obra se recomienda eliminar los restos de materiales de agarre y rejuntado con un desincrustante comercial diseñado expresamente para baldosas cerámicas, rebajado con agua, permaneciendo en contacto con la superficie a limpiar no más de 5 minutos.

Como norma general no deben utilizarse detergentes en polvo ni estropajos metálicos o abrasivos. Generalmente será suficiente con una esponja, agua tibia y un jabón líquido neutro. Posteriormente aclarar con abundante agua limpia.

ALTA VARIACIÓN CROMÁTICA

La colección Fez ha sido diseñada con una alta variación de tono entre piezas. Es importante verificar el producto antes de su instalación puesto que ninguna reclamación será aceptada una vez instalado.

WAREHOUSING

In order to guarantee the characteristics of the finish the product must be kept in its original packaging until the time of fixing. If the product is likely to be stored for a long period of time it should be suitably covered.

TILE FIXING

To ensure the products adhere correctly to the surface, it is essential to use specific adhesive and grouting material. This must also be suitable for the environment they will have to withstand. Fitting with traditional mortars does not ensure good adhesion.

Due to the nature of the material there may be dimensional variations between pieces. Therefore, all types of joints must be planned and carried out correctly: structural, perimeter, expansion and installation joints. Fitting tiles without joints is not advisable from any technical point of view as this may lead to various problems. For an optimal result, we advise to use 1 mm (0.04").

MAINTENANCE AND CLEANING

Once the materials have been fitted, it is advisable to remove any remaining adhesive and grouting material by using a commercial descaling product designed especially, diluted with water. The descaling product must not remain in contact with the surface to be cleaned for more than 5 minutes.








As a general guideline, powder detergents should not be used, not wire wool or abrasive materials. Generally a sponge will be sufficient with warm water and liquid neutral soap. Then rinse with plenty of clean water.



STRONG CHROMATIC VARIATION

Fez Collection has been designed with a strong chromatic variation between pieces. Prior to any installation, range of tiles should be checked by the client. No claims will be accepted after installation.

Technical features for Dry-Pressed ceramic tiles with water absorption BIII (Eb >10%)

Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII (Eb >10%)

| FEATURES / CARACTERÍSTICAS | SPECIFICATION / ESPECIFICACIÓN | NORMA |
|--|---|--------------------------|
|  Dimensional Features | 62 mm +/- 0,75 mm x 125 mm +/- 0,75 mm | UNE-EN ISO 10545-2:1998 |
|  Water absorption | $E_b > 10\%$ | UNE-EN ISO 10545-3:1997 |
|  Modulus of rupture and breaking strength | Thickness $\geq 7,5$ mm mínimo 12 N/mm ² Thickness < 7,5 mm mínimo 15 N/mm ² | UNE-EN ISO 10545-4:2012 |
|  Craze resistance | Pass (Except metallic finishes) | UNE-EN ISO 10545-11:1997 |
|  Household products resistance | GA | UNE-EN ISO 10545-13:1998 |
|  Chemical resistance | GHA (Except metallic finishes) | UNE-EN ISO 10545-13:1998 |
|  Stain resistance | Class 5 | UNE-EN ISO 10545-14:1998 |



| Model | Size (in) | Pieces/box | lb/box | sq ft/box | Box/pallet | sq ft/pallet |
|--------------|-----------|------------|----------|-------------|------------|--------------|
| Fez | 2.5"x5" | 62 | 18.19 lb | 5.210 sq ft | 102 | 531.42 sq ft |
| Rounded Edge | 0.43"x5" | 40 | 1.32 lb | 16.27 ft | 350 | 3,254.59 ft |

| Modelo Model | Tamaño (cm) Size (cm) | Piezas/caja Pieces/box | Kg/caja kg/box | m ² /caja m ² /box | Cajas/palet Box/pallet | m ² /palet m ² /pallet |
|-----------------|--------------------------|---------------------------|-------------------|---|---------------------------|---|
| Fez | 6,2x12,5 cm | 62 | 8,25 kg | 0,484 m ² | 102 | 49,37 m ² |
| Rounded Edge | 1,1x12,5 cm | 40 | 0,601 kg | 4,960 m | 200 | 992 m |

07. PRICE CODE / CÓDIGO DE TARIFA

| W21 | W36 | WS3 |
|-----|--------------------|--------------|
| Fez | Fez Steel & Copper | Fez Bullnose |

Polígono Pont, Avda. de España 114
12180 Cabanes,
Castellón (Spain)
t. +34 964 331 910 / f. +34 964 331 911

wowdesigneu.com
comercial@wowdesigneu.com



©2021 Tendencias Cerámicas

WOW, registered trademark of Tendencias Cerámicas, S.L.

The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.

©2021 Tendencias Cerámicas

WOW, marca registrada por Tendencias Cerámicas, S.L.

La utilización de la marca o la reproducción del contenido de este catálogo está protegida por la Ley de Propiedad Intelectual. Cualquier uso de la marca o la reproducción del mismo, en parte o en su totalidad, debe ser autorizada por Tendencias Cerámicas, S.L., pudiendo, en caso contrario, ser esta acción sancionada de acuerdo con la Ley.

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.

The colour of the pieces displayed herein may differ slightly from originals.

The settings shown in this catalogue are design proposals for advertising purposes.

In real situations in which the pieces are laid, the installation instructions published by WOW should be followed.

WOW se reserva el derecho de modificar y/o suprimir ciertos modelos expuestos en este catálogo sin previo aviso.

Los colores de las piezas pueden presentar ligeras diferencias respecto a las originales.

Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario, debiéndose utilizar en la instalación real las instrucciones de colocación editadas por WOW.



Designed by





WOW

wowdesigneu.com